





- Indoor LED Driver
- IP rating: IP20
- Indoor use only
- 12v DC constant voltage
- Flex and plug included
- Suitable for domestic use only
- Must be installed with adequate ventilation
- Suits Havit 12v LED strip
- For driver load capacity see pages 205-206

IP20 Indoor 12v LED Driver

IMAGE	PART NUMBER	Description	IP RATING	INPUT POWER	OUTPUT POWER	SIZE HxWxL (mm)
	HV9664-12V15W	15w LED Driver	IP20 INDOOR	240v AC	12v DC 15w	(H)27x (W)42x (L)95
	HV9664-12V30W	30w LED Driver	IP20 INDOOR	240v AC	12v DC 30w	(H)30x (W)50x (L)88
	HV9664-12V60W	60w LED Driver	IP20 INDOOR	240v AC	12v DC 60w	(H)30x (W)49x (L)120
	HV9664-12V72W	72w LED Driver	IP20 INDOOR	240v AC	12v DC 72w	(H)34x (W)62x (L)155

24v LED Driver Capacity Guide

Suggested capacity for driver is 80-85% of max power, for further technical information or assistance contact Havit Lighting

STRIP	DRIVER	Metres	Max 5 metre run per strip									
19.2w	HV9652-24V	1.3										
	HV9653-24V	2.65										
	HV9654-24V	4.0										
	HV9658-24V150W	6.6										
	HV9658-24V200W	8.5										
	HV9658-24V300W	13.25										
	HV9108-TD-36-24V	1.55										
	HV9108-TD-75-24V	3.5										
	HV9108-TD-150-24V	7										
	HV9108-AD-36-24V	1.55										
	HV9108-AD-75-24V	3.5										
32.6w	HV9108-AD-150-24V	7										
	HV9653-24V	1.55										
	HV9654-24V	2.5										
	HV9658-24V150W	3.9										
	HV9658-24V200W	5.0										
	HV9658-24V300W	7.8										
	HV9108-TD-75-24V	2.0										
	HV9108-TD-150-24V	4.0										
46w	HV9108-AD-75-24V	2.0										
	HV9108-AD-150-24V	4.0										
	HV9653-24V	1.1										
	HV9654-24V	1.8										
	HV9658-24V150W	2.75										
	HV9658-24V200W	3.5										
	HV9658-24V300W	5.5										
	HV9108-TD-75-24V	1.45										
	HV9108-TD-150-24V	2.9										
	HV9108-AD-75-24V	1.45										
	HV9108-AD-150-24V	2.9										

All low voltage products that specify LED or are supplied with a 12v DC LED globe must be used with a suitable LED driver, refer to pages (185 - 206)
Lumen output measured at source. All globes supplied with fittings are non dimmable. If you require 240v dimmable globes refer to pages (257 - 258)