



SINCE  
BUILDING THE BEST 1886



White



# Maribel™


**IP44 rated, wet listed, and able to stand up to mother nature's worst, the Hunter Maribel makes the great outdoors even better. Rust proof aluminium construction with stainless steel hardware and UV resistant ABS plastic reversible all weather blades.**

- 24355** 132cm New Bronze with five Walnut Plain/ Timber look plastic blades
- 24357** 132cm White with five White Plain/ Timber look plastic blades



# Maribel™

New Bronze



Walnut Plain

Walnut Timber Look


White



White Plain

White Timber Look

|  |  |   |            |  |  |
|--|--|---|------------|--|--|
| <b>SIZE &amp; BLADES:</b>  | 132cm (52") Dia. from blade tip to blade tip.  |   |            |  |  |
|  | Five UV resistant, all weather ABS plastic reversible blades.  |   |            |  |  |
|  | 12 Degree blade pitch.   |   |            |  |  |
| <b>MOTOR:</b>  | Hunter's High Output Outdoor motor.<br>16 pole. 172 x 20mm 100Watt motor with heavy gauge copper windings, silicon steel laminations, and precision sealed bearings, for quiet operation, year after year.   |   |            |  |  |
| <b>CONTROLLER:</b>   |  | Supplied with pull chain for fan, light and reverse operation.<br><ul style="list-style-type: none"> <li>Suitable with Hunter wall controls.</li> <li>Not suitable for use with remote controls.</li> </ul> |            |  |  |
| <b>CANOPY:</b>   | Hunter's patented WobbleFree™ canopy with Anti Vibration Technology (AVT)<br>Hunter's patented triangular hanger ball system reduces torque and gives Hunter fans the ability to self-balance, eliminating wobble for rock solid performance, year after year. |   |            |  |  |
| <b>LOCATION:</b>   | <b>Indoor &amp; Outdoor use.</b> <ul style="list-style-type: none"> <li>IP44 Rated - Protected from water splashing from all directions.</li> <li>Salt spray tested.</li> </ul>  |   |            |  |  |
| <b>MOUNTING:</b>   | Easy to install in one of 2 mounting options: <ul style="list-style-type: none"> <li>Standard mounting on flat ceilings.</li> <li>Angled mounting on raked ceilings up to 34-Deg.</li> </ul> <b>NB:</b> When used outside, rubber gasket must be used.         |   |            |  |  |
| <b>LIGHT KIT:</b>  | Suitable for use with most Hunter light kits.<br><b>NB:</b> If mounting outside, Outdoor Light Kit recommended.  |   |            |  |  |
| <b>FEATURES:</b>   | Reversing switch for both summer and winter operation. <ul style="list-style-type: none"> <li>Save up to 47% on summer cooling costs,</li> <li>Save up to 24% on winter heating costs.</li> </ul>  |   |            |  |  |
| <b>ENERGY STAR:</b>  | Energy Star Rated.<br>Proven energy efficient ceiling fan.   |   |            |  |  |
| <b>PERFORMANCE:</b><br><i>NB: Performance testing carried out in laboratory approved for energy star testing and certification</i> | <b>SPEED</b>   | <b>WATTAGE*</b>   | <b>RPM</b> | <b>AIRFLOW **</b><br>(in M <sup>3</sup> /HR) | <b>EFFICIENCY</b><br>(in M <sup>3</sup> /HR/W) |
|  | HIGH:  | 62.3  | 171        | 8736   | 140.20   |
|  | MEDIUM:  | 34.9  | 130        | 6774   | 194.10   |
|  | LOW:   | 15.2  | 86         | 4066   | 267.50   |
| * Wattage for Energy Star data and is based on actual not rated value as shown on rating label                                     |  |   |            |  |  |
| ** Airflow data tested using Energy Star Solid State Method (Developed by Hunter Fan Company)                                      |  |   |            |  |  |



GENERIC FAN IMAGE

| A  | B      | C    | D     | E     | F   | G     |
|--|--------|------|-------|-------|-----|-------|
| <b>STANDARD MOUNT (cm)</b>                       |        |      |       |       |     |       |
| 35.31  | 31.24  | 9.4  | 30.99 | 16.26 | N/A | 16.00 |
| <b>ANGLED MOUNT (cm) NB: Using 91cm downrod.</b> |        |      |       |       |     |       |
| 116.59   | 112.52 | 9.40 | 30.99 | 16.26 | N/A | 16.00 |