

# E-Lite

- Cat. No. EAVE
- Cat. No. EAVE105
- Cat. No. EAVEGU
- Cat. No. EAVE105GU
- Cat. No. EAVEMH20
- Cat. No. EAVEMH35
- Cat. No. EAVE105MH20
- Cat. No. EAVE105MH35




The E-Lite is a recessed downlight ideal for installation in eaves, soffits, entrance ways, verandahs, carports or covered decks. It can also be used in bathrooms, kitchens or where moisture transfer or decibel rating is a minimum requirement.


This luminaire is machined from a choice of solid aluminium with a UV stable powder coated finish, solid copper or 316 stainless steel with a clear, tempered, flush glass lens and high temperature silicon gaskets. The 316 stainless steel E-Lite is electro-polished to increase corrosion protection.

A 105mm version of the E-Lite is available and has been designed to fit a standard 90mm cut-out with an enlarged canister lip.

A GU10 version of this luminaire is also available for line voltage lamps. The E-Lite Metal Halide is extremely energy efficient, outputting 2-3 times the light of a halogen lamp, and uses a GX10 20 or 35 watt lamp.



88mm  
3 1/2"  
E-Lite



105mm  
4 1/8"  
E-Lite 105



E-Lite

## Ordering Information

Luminaire Type	Material	Accessories
EAVE - E-Lite	BK - Black	LENSSTEPF - Frost Lens
EAVE105 - E-Lite 105mm	BZ - Bronze	GU - GU10 Option
	GN - Green	MH - Metal Halide Option
	STAR - Silver Star	For LED refer to page 10.4
	WH - White	
	WB - Birch	
	DG - Dark Grey	
	OG - Olive Green	
	RG - Beige	
	PR - Primrose	
	SS - 316 Stainless Steel	
	COP - Copper	

- Ordering Example: EAVE COP - E-Lite in Copper  
 EAVE105 BK - E-Lite in Black with 105mm flange  
 EAVEGU COP - E-Lite GU10 in Copper  
 EAVEMH20 COP - E-Lite 20 watt Metal Halide in Copper

## Luminaire Construction

CNC machined from:

**Aluminium** body high corrosion resistant 88mm (3½"), or 105mm (4¼") solid aluminium rod with chromate substrate and high UV resistant polyester powder coat.

**Colours** Black, Bronze, Green, Silver Star, White, Birch, Dark Green, Olive Green, Beige, Primrose.

**Copper** body 88mm (3½"), or 105mm (4¼").

**316 Stainless Steel** body 88mm (3½"), or 105mm (4¼"). Electro-polished.

**Canister** 316 Stainless Steel

### Mounting

The canister supplied is designed to fit through a 70mm hole and be fixed into position by two spring clips. The E-Lite105 canister has a larger flange (105mm) and has been designed to fill a 90mm hole.

## Features

**Lens:**

10mm (3/8") clear flush fit shatter resistant glass. A clear lens is fitted as standard.

**Lifetime Warranty.**

**Lamp Holders:**

GU5.3 & GU10 - 350°C (662°F) ceramic multi contact lamp holder with 250°C (480°F) teflon cables.

Metal Halide GX10 - 350°C (662°F) ceramic multi contact lamp holder with 250°C (480°F) teflon cables.

**Accessories:**

Frost Lens (Cat. LENSSTEPF).

GU10 Option (Cat. GU10).

Metal Halide Option (Cat. MH).

*The stainless steel E-Lite is electro-polished, this finish increases the protection against corrosion by up to 33%.*

## Standards

**IPX5**

NZIEP 54 = CA, SCB 100mm

HBX 75mm, REC 135mm

DB = RW30

**Weight**

E-Lite Alum .30 kg (11oz)  
Cop .80 kg (1lb 12oz)  
SS .75 kg (1lb 10oz)

E-Lite105 Alum .40 kg (14oz)  
Cop .95 kg (2lb 2oz)  
SS .90 kg (2lb)

**Power Supply**

HUNZA™ H20, H40 or H50

Transformer: not included.

Metal Halide - 230-240 volt ac 50Hz  
built in ballast










**Lamp Type**

Suitable for use with Halogen  
MR16 GU5.3 50 watt lamp max.

GU10 - GU10 25 or 35 watt lamp max.

**LED** - Refer sheet no. 10.4

Metal Halide - GX10 20 or 35 watt lamp



**HUNZA™** PURE  
OUTDOOR  
LIGHTING

**HUNZA FACTORY**  
130 Felton Mathew Ave  
Glen Innes  
Auckland 1072  
New Zealand

**Ph: 64-9-528 9471**  
**Fax: 64-9-528 9361**  
hunza@hunza.co.nz  
www.hunza.co.nz

**INTERNATIONAL CONTACTS:**  
www.hunza.co.nz/contacts.php

Specifications may change without notice.  
Manufactured in New Zealand.  
© 2011 Hunza Holdings Ltd.

Ver 1.4